

Sea Lice Report September 2012

Bay	Company	Site	Stock	Date	Mean no.s of Ovigerous <i>Lepeophtheirus salmonis</i> per fish	Mean no.s of <i>Lepeophtheirus salmonis</i> per fish
Bantry Bay	Murphys Irish Seafood Ltd	Cuan Baoi	Atlantic salmon, 2011 S½		On starve for harvest	
			Atlantic salmon, 2012 S½	17/09/12	0.00	0.00
	Silver King Seafoods Ltd	Roancarraig	Atlantic salmon, 2011 S½		Harvested out	
			Atlantic salmon, 2012 S½	18/09/12	0.07	0.13
Kenmare Bay	Silver King Seafoods Ltd	Inishfarnard	Atlantic salmon, 2011	18/09/12	0.00	1.29
	Silver King Seafoods Ltd	Deenish	Atlantic salmon, 2012	19/09/12	0.14	0.65
Bertraghboy Bay	Comhlucht Bradain Chonamara Teo	Sealax	Atlantic salmon, 2012 S½	20/09/12	0.00	0.11
Mannin Bay	Mannin Bay Salmon Co. Ltd	Corhounagh	Atlantic salmon, 2011	28/09/12	6.74	14.10
Killary Harbour	Rosroe Salmon Ltd	Inishdeighil	Atlantic salmon, 2012	19/09/12	0.00	0.00
Clew Bay	Clare Island Seafoods Ltd	Portlea	Atlantic salmon, 2011	21/09/12	0.05	0.37
	Clare Island Seafoods Ltd	Clare Island smolt site	Atlantic salmon, 2012		Transferred to Seastream Inner	
	Clare Island Seafoods Ltd	Seastream Inner	Atlantic salmon, 2012	20/09/12	0.00	0.05
Bealacragher Bay	Curraun Blue Ltd	Curraun	Rainbow Trout, 2011 (1)		On starve for harvest	
			Rainbow Trout, 2012 (1)		On starve for harvest	
Donegal Bay	Eany Fish Products Ltd	Inver Bay	Rainbow Trout, 2012 (1)	20/09/12	0.00	0.00
			Rainbow Trout, 2012 (2)	20/09/12	0.00	0.00
			Ocean Farm Ltd	Ocean Inver	Atlantic salmon, 2012	20/09/12
	Ocean Farm Ltd	Mc Swyne's	Atlantic salmon, 2011	26/09/12	1.50	13.42
Mulroy Bay	Marine Harvest Irl.	Cranford A	Atlantic salmon, 2012 S½	21/09/12	10.79	58.06
	Marine Harvest Irl.	Glinsk	Atlantic salmon, 2012	21/09/12	0.41	2.35
Lough Swilly	Marine Harvest Irl.	Lough Swilly	Atlantic salmon, 2011	21/09/12	11.05	71.72

Elevated Lice Levels

Elevated sea lice levels are levels which are in excess of treatment trigger levels set out in "Monitoring Protocol No. 3 for Offshore Finfish Farms-Sea Lice Monitoring and Control" (DMNR 2000) & "A strategy for improved pest control on Irish salmon farm" (DAFF 2008). A notice to carry out a sea lice treatment (NTT) is issued on the basis of elevated sea lice levels. Treatment triggers during the spring period (March, April, May,) are from 0.3 to 0.5 egg bearing female (ovigerous) sea lice per fish. Outside of the critical spring period, a level of 2.0 egg bearing female sea lice per fish acts as a trigger for a NTT.

Elevated sea lice levels were recorded at:

- Corhounagh, Mannin Bay, Mannin Bay Salmon Company Ltd.
- Cranford A, Mulroy Bay, Marine Harvest Ireland
- Lough Swilly, Marine Harvest Ireland




Sample Details

All samples were obtained.

Appendix 1 shows the location of all active fish farms site.

This data is supplied for the information of the recipient only and is not to be used, cited, or conveyed to third parties without the prior permission of the Marine Institute. Published data for 2011 is available at <http://oar.marine.ie/handle/10793/776>.

Appendix 1



Report compiled by:

Pauline O'Donohoe, STO, Aquaculture Section, Marine Environment & Food Safety Services (MEFS), Marine Institute, Rinville, Oranmore, Co. Galway, Ireland. Tel: +353 91 387200, Fax: 00353 91 387201, Email: pauline.odonohoe@marine.ie, www.marine.ie

This data is supplied for the information of the recipient only and is not to be used, cited, or conveyed to third parties without the prior permission of the Marine Institute. Published data for 2011 is available at <http://oar.marine.ie/handle/10793/776>.